



Research for Civil Security

Programme of the Federal Government of Germany

Tunnel safety & security - SKRIBT^{Plus}

ITA-COSUF Workshop

Berlin, 5th of June 2014






High density of traffic in Germany

The supply of

- 240 tunnels
- 39.000 bridges

Tunnels and bridges are **important** components of traffic infrastructure, but also **liable to break down** particularly.





Holistic assessment

Terrorism /
Criminality




Extreme natural
phenomenon



Serious major
accident







Protection of critical bridges and tunnels (SKRIBT^{Plus})

as part of the scenario-oriented security research

Supported by:




Research programme for Civil Security of the Federal Government :

„Protection of traffic infrastructure“

as part of the scenario-oriented security research

Project Management:



Term 3 years:


01/2012 – 12/2014

Cooperative Project:

interdisciplinary handling by several project partners



Project Partners





Some key developments (tunnel related):

- ▶ Quantitative risk assessment for tunnels under explosive and fire loads
- ▶ Probabilistic assessment model for spalling processes in tunnels
- ▶ Calibration of hydrocode simulations via scaled field tests
- ▶ Development of UHPC-based sprayed concrete mixtures for the structural upgrade of tunnels under explosive and fire loads



- ▶ Quantitative risk assessment for tunnels under explosive and fire loads



Object or scenario based approach for the structural assessment?

- ▶ Object based approach leads to a reliability analysis of the specific facility under possible hazards (good for bridges but of lesser appropriateness for tunnels)
- ▶ Scenario based approach defines a set of probable final states under the premise of a specific scenario
- ▶ Within SKRIBTPlus a scenario based approach was already taken and implemented for the assessment of the user risks
 - ➔ A scenario based approach was needed



SKRIBT^{Plus} approach

Initialereignis	Verzweigungen im Ereignisablauf													Endzustände	
	Benzin / Diesel	Freisetzung	Zündung	Ereignisort	Zeitraum	Verkehrszustand	Detektion erfolgreich	Sperr-einrichtung aktiviert	Löftungs-system aktiviert	weitere Sicherheits-systeme vorhanden und aktiviert	Erhöhtes Ausmaß (Bus)	Grad der Beein-trächtigung des Bauwerks	Dauer der Beein-trächtigung	Verlagerung der Verkehrs-ströme	$P_{ei} = P_0 \prod P_i$
Brand	30 MW / 50 MW / 100 MW	spontan / kontinuierlich	sofort / verzögert	Mitte / Rand	Tag / Nacht	Frei / Stau	ja / nein	ja / nein	ja / nein	ja / nein	ja / nein	vollständig / teilweise / keine	Tage / Monate / Jahre	ja / nein	
Wahrscheinlichkeit P_0	Verzweigungswahrscheinlichkeiten P_i														Wahrscheinlichkeit P_{ei}

Procedure

- ▶ Synchronization of the structural analysis with the already existing user analysis
- ▶ Therefore adding structure related branches to the event trees (e.g. “spalling” for fire or “resonance frequency” for explosion)



SKRIBT^{Plus} approach

Initialereignis	Verzweigungen im Ereignisablauf													Endzustände	
	Benzin / Diesel	Freisetzung	Zündung	Ereignisort	Zeitraum	Verkehrszustand	Detektion erfolgreich	Sperr-einrichtung aktiviert	Löftungs-system aktiviert	weitere Sicherheits-systeme vorhanden und aktiviert	Erhöhtes Ausmaß (Bus)	Grad der Beein-trächtigung des Bauwerks	Dauer der Beein-trächtigung	Verlagerung der Verkehrs-ströme	$P_{ei} = P_0 \prod P_i$
Brand	30 MW / 50 MW / 100 MW	spontan / kontinuierlich	sofort / verzögert	Mitte / Rand	Tag / Nacht	Frei / Stau	ja / nein	ja / nein	ja / nein	ja / nein	ja / nein	vollständig / teilweise / keine	Tage / Monate / Jahre	ja / nein	
Wahrscheinlichkeit P_0	Verzweigungswahrscheinlichkeiten P_i													Wahrscheinlichkeit P_{ei}	

Result


- ▶ Probability of final state i under the premise of the specific scenario, including probabilities for cascading effects (flash over, fire after explosion)
- ▶ Pressure/time- or Temperature/time-curves as the result of the accompanying Hydrocode- or CFD-Simulations, and a predefined local damage which then will be applied to the structure



- ▶ Probabilistic assessment model for spalling processes in tunnels

SKRIBT^{Plus} approach

- ▶ CFD delivers probability and possibly a specific T/t-curve
- ▶ Input values for a probabilistic assessment of spalling phenomena in case of fire loads
- ▶ 2D-vector (Probability of final state and severity of spalling)






Some general thoughts...

- ▶ Spalling of concrete under fire exposure is a stochastic process
- ▶ Even under identical circumstances (t_{Max} , Δt , etc.) identical mixtures will produce varying results (spalling width, spalling depth)
- ▶ A numerical simulation of spalling is (up to now) not possible when looking for reliable results
- ▶ In the course of SKRIBT^{Plus} an approach via Bayesian Networks was taken




Basic model





Consecutive temperature-related calculation






Calibration and validation

- ▶ Results from actual fire test were used for calibration of the model and the model showed a good affinity with these results
- ▶ Further work is surely needed, especially in terms of more precise calibration
- ▶ Currently no add-ons (PP-fibres etc.) are integrated




- ▶ Calibration of hydrocode simulations via scaled field tests

Field test and the corresponding numerical model





Damageprognosis



Simulation of the test

DMS

DMS 3 Comparison Test / Sofistik





- ▶ Development of UHPC-based sprayed concrete mixtures for the structural upgrade of tunnels under explosive and fire loads




Task and outline

- ▶ Up to now just the possibility of pre-cast-elements with high resilience against fire as well as high speed dynamics
- ▶ E.g. SIFCON or DUCON
- ▶ Not applicable for refurbishment or upgrading, especially under more or less extreme conditions of underground facilities (complex geometries, arches and bows)
- ▶ Development of a sprayable recipe for a UHPC at TLB

Cooperative Project SKRIBT^{Plus}

Ongoing R&D-activities at TLB



- | | | |
|------------------------------|------------------------------|----------------------------------------|
| 1 Depot Zuschlag, Zement | 10 Mess- und Regel (Luft) | 19 Steuereinheit Spritzroboter |
| 2 Dosierung Zuschlag, Zement | 11 Mess- und Regel (Wasser) | 20 Messwerterfassung |
| 3 Zwangsmischer | 12 Spritzroboter | 21 Gegensprechanlage |
| 4 Vorratssilo/Waage | 13 Spritzdüse | 22 Staubmessgeräte |
| 5 Dosierschnecke | 14 Verfahrbare Spritzpalette | 23 Staubdichte Umhausung |
| 6 Dosierung Zusatzmittel | 15 Palettenwaage | 24 Be- und Entlüftung |
| 7 Spritzbetonmaschine | 16 Rückprallwaage | 25 Absaug- und Entstaubungs-
anlage |
| 8 Kompressor | 17 Wanne Differenzmenge | |
| 9 Druckluftkessel | 18 Bohr- und Sägestand | |






Status

- ▶ Development of a “workable” mixture is finished
- ▶ Basic features are 140 kg/m³ steel fibres (micro and makro fibres), 3 kg/m³ PP-fibres and a sprayable UHPC with an estimated compression strength of 120 N/mm²
- ▶ Mixture is workable for up to 3 hours
- ▶ Specimen for fire tests (spalling) and explosion test are prepared
- ▶ Within the next 2 months fire test and explosion test will be carried out

Impressions





Impressions

